

Research to Practice: Children with Disabilities in Early Head Start

Early Head Start Research and Evaluation Project

he purpose of this research brief is to present findings from the Early Head Start Research and Evaluation Project that pertain to children with disabilities.


Information for this report is drawn from the 36-month Early Head Start report on impacts (Administration for Children and Families [ACF], 2002b), a report on health and disabilities in Early Head Start (ACF, 2004), and selected other studies conducted by Early Head Start local researchers and others. Data were collected from 1996 to 2001.

Background. Early Head Start is a comprehensive two-generation program

with services beginning as early as pregnancy and continuing until children are age 3. Early Head Start programs must make 10 percent of their funded enrollment opportunities available for children with disabilities¹ (U.S. Department of Health and Human Services [DHHS], 1998). Children with previously diagnosed disabilities may be referred to Early Head Start, or disabilities may be identified after enrollment in Early Head Start. The

process of identification includes a referral to a local Part C service provider, an assessment, and, if the child qualifies, development of an Individualized Family Service Plan (IFSP), as

defined by Part C of the Individuals with Disabilities Education Act (IDEA).²



C, and Early Head Start sectors; and (4) need for awareness about early development and the potential of Part C Early Intervention services among parents, Early Head Start staff, and community members. Because of the opportunities of the early years, it is useful for Early Head Start programs to be aware of progress in the area of Early Intervention and of gaps in service provision identified by the research.



RESEARCH FINDINGS: CHILDREN WITH DISABILITIES

The Early Head Start Research and Evaluation Project enrolled 3,001 children into a rigorous experimental design study to evaluate program impacts (see *The Study* box). Children, including children with disabilities or suspected disabilities, had an equal chance of being assigned to the program or control groups. Therefore, it is possible to learn about the effects of Early Head Start for children with disabilities by comparing program to control group children. This report also includes information about service variation within the Early Head Start program group.

Findings about children with disabilities from the experimental-design study

The Early Head Start report of final impacts showed that on average Early Head Start children benefited over control group children in cognitive, language, and social development and in services received (ACF, 2002b). Two impact findings had particular relevance to children with disabilities.

Early Head Start children were less likely to have delays in cognitive and language functioning (ACF, 2002b). When children were 36 months of age, 27 percent of Early Head Start children had Bayley Mental Development Index (Bayley, 1993) scores below 85 (the national average is 100), compared to 32 percent of the control group. Similar effects were found for language delays. These differences are attributed to usual Early Head Start program services in child development, nutrition, health, and mental health and to program impacts on parental child language/cognitive simulation (ACF, 2002b).

Early Head Start children were significantly more likely to receive Part C services than control group children (ACF, 2002b). Higher rates of identification are attributed to program

screening and referral services and coordination with Part C partners.

- Approximately 5.4 percent of families in Early Head Start reported receiving Part C services and having IFSPs. This contrasts to 3.8 percent in the control group (see bullet 4, next page, for program staff report). The most common reasons for identification were speech problems; disabilities related to mobility, vision, and hearing; and other serious conditions such as spina bifida.
- In parent interviews, 7 percent of Early Head Start and 6 percent of control families, respectively, reported that they were eligible for Part C services.
- ◆ The gap between eligibility and actual receipt of Part C services may have been due to (1) time lags in getting families into Part C services, (2) the possibility that parents were not clear about Part C services, and (3) parents declining to enroll their children in Part C because they did not feel that the additional services were important for their children or themselves.



Research to Practice:

Early

 According to reports by Early Head Start program staff, 13 percent of children in the research sample had been identified as eligible to receive Part C services by the time families left the Early Head Start program. Staff reports may have been higher than parent reports because parents may have been unaware of their children's eligibility or may not have distinguished between Part C and Early Head Start services. Staff reports corresponded to levels of Part C service reported by the Hilton Foundation study of Early Head Start programs (Sonoma State University, 2002) and Program Information Reports in 2001, 2002, and 2003 (ACF, 2002a, 2003a, & in press).

Early Head Start services to children with disabilities and their families

Families of children with disabilities were highly involved in Early Head Start services. Early Head Start staff rated families of children with disabilities as "highly involved" in the program (50 percent compared to 35 percent of other families). Families with children identified as eligible for Part C compared to other families also remained in the Early Head Start program longer (27 months, on average, compared with 22 months for other families) and had greater participation in Early Head Start parent-child socializations, parenting education, and parent support groups.

Early Head Start programs and Part C providers engaged in proactive community collaborations to identify children with disabilities and provide needed services. Examples of these activities included the following:

- Early Head Start staff members at a number of the research sites completed SpecialQuest training,3 which resulted in enhanced integration and collaboration between Early Head Start and Part C programs at the community level (ACF, 2003b; Summers et al., 2001; Sonoma State University, 2002).
- Early Head Start programs had established policies for staff to follow if they identified a concern about a child, leading to a referral to Part C.
- Staff helped parents interpret the required regulations and access the services, and they provided emotional/logistical support for the Part C evaluation and individualized family service planning process.
- Early Head Start program staff also worked directly with Part C professionals to help them establish rapport with the families and to coordinate their home visits.

Gaps between need for and receipt of Part C services

While Early Head Start programs took many steps to identify children for Part C services, a number of gaps were found in the receipt of Part C Early Intervention services. In addition to some gaps between eligibility and identification, other gaps were found among families with specific demographic characteristics, and among children with cognitive and language delays, and those with behavior disorders.

> Children with specific demographic characteristics were less likely to receive Part C services4 (see Figure). Children in Hispanic families, of teen and less-educated parents, and of parents with moderate or high levels of cumulative demographic risks5 were the least likely to receive Part C services.

There were also gaps between need and service receipt among children with cognitive delays. Cognitive delays as assessed in the evaluation using the Bayley MDI were fairly common (about 18 percent of the sample, when delay was defined as having received an MDI score below 70 by age 3)6 (ACF, 2002b).

- Only approximately one-third of Early Head Start children with cognitive delays below 70 on the MDI were identified as eligible for Part C services.
- Cognitive delays were highest among children whose parents had the highest number of demographic risk factors (26 percent of children of parents at highest risk had cognitive delays) (ACF, 2004). As noted already, children in this group were among those least likely to receive Part C services.
- Many parents appeared to be unaware of children's

below 70 on the MDI also reported that a doctor had told them that their child had a developmental delay.7

cognitive delays. However, nearly all the children children. had received well-baby examinations. Across the entire sample, less than one-third of parents (and very few Hispanic or teen parents) of children who ever scored


Earlu Head Start children were significantly more likely to receive Part C services than control group

> Many children with delays in receptive language development did not receive Early Intervention Part C services. Analysis of child assessments showed that over 26 percent of the children had delayed receptive language (received a score lower than 1.5 SD below the mean on the Peabody Picture Vocabulary Test-III) (Dunn & Dunn, 1997; ACF, 2002b). About a fifth had been identified as eligible for Part C services.8 Parents were somewhat more aware of language delays than was true for cognitive delays (reported earlier). About half of the

ren with Disabilities in Head Start

Early Head Start Research and Evaluation Project

Percent of Children in Early Head Start Research Sample Subgroups Receiving Part C Services (by Parent Report)



parents of children with delays in receptive language were aware of a communication difficulty:

- Parents with fewer demographic risk factors were more aware of children's communication difficulties than were parents with more risks, and their children were more likely to be receiving Early Intervention services.⁹
- However, children of parents with more demographic risk factors were more likely to have receptive language delays, as determined from the 36-month research assessment.

Parents were unlikely to report that any behavior problems had been identified in their children (about 1 percent, as noted to them by a physician). The study assessed parent report of child behaviors using the Childhood Behavior Check List (Achenbach, Edelbrock, & Howell, 1987). Nine percent of all children's scores were in the clinical range, indicating behavior problems, and about a quarter of these children were identified as eligible for Part C.

IMPLICATIONS FOR PROGRAM PRACTICE

- While Early Head Start programs working in partnership with local Part C agencies have made significant progress in identifying children with disabilities, some service gaps exist, suggesting that community partners should examine whether there are time delays that could be reduced along the pathway from referral to service provision.
- Many families who receive Early Intervention services appear to be highly engaged with their Early Head Start programs. The programs may be able to **build on this strength** by asking: What are the needed supports that programs can provide to help families with children identified by the Part C system?
- ▶ Early Head Start programs and community Part C partners should evaluate together how the needs of children with early delays are addressed.¹¹ What steps can programs and Part C partners take to identify potential cognitive and language delays and social-emotional disorders as early as possible during


the infant/toddler years? How can programs and Part C work together to provide appropriately intensive intervention, whether through Early Head Start, Part C, or both?

 The research indicates a surprising lack of awareness about children's cognitive delays, despite the fact that nearly all children had well-baby exams and that delays, as defined here, were relatively large. Most parents whose children had significant delays did not report they had been apprised of delays by their physicians during these exams. How can programs support parents in medical discussions and work directly with the medical community to better facilitate early identification of children with serious cognitive

developmental delays? How can such support be provided across a range of health service delivery systems, including those in which different physicians may attend to a child over time?

Programs and community partners can support families at greatest risk by helping them to understand child development. the referral and identification processes, and importance of Early Intervention in the prevention of later difficulties. Children of parents with many demographic risk factors, in Hispanic families, of parents at lowest levels of education, and of teen mothers were least likely to receive Part C services. Children in several of these groups were also most likely to be very

low functioning in cognitive and language development. Programs can address: How can Early Head Start and Part C partners jointly examine barriers to enrolling families at greatest risk, Hispanic, teen, and less-educated parents into the Part C system?





Research to Practice: Children with Disabilities in Early Head Start

Early Head Start Research and Evaluation Project

The Study

The Early Head Start Research and Evaluation Project, a rigorous random assignment impact evaluation under the direction of the Child Outcomes Research and Evaluation Division, Office of Planning, Research and Evaluation, in the Administration for Children and Families, U.S. Department of Health and Human Services, was conducted by Mathematica Policy Research, Columbia University National Center for Children and Families, and the Early Head Start Research Consortium of researchers in 15 universities. Three thousand children and families in 17 research sites throughout the country were involved in the research. The study began in 1996, at the same time Early Head Start began, and all of the children in the study have now turned 3 years old. Several reports have emerged from the study (http://www.acf.hhs.gov/programs/core/index.html). Research briefs are now being created to share the information widely and to inform program practice. Information for this research brief was drawn from the 36-month Early Head Start impacts report (ACF, 2004), from a report on health and disabilities in Early Head Start (ACF, 2004), and from selected other research studies conducted by Early Head Start local researchers and others.

Notes

- ¹ Eligibility for Part C is determined by states. There is great variability across states regarding who is defined as an infant or toddler with a disability. At the time the Early Head Start programs were beginning, changes were being implemented in both IDEA and the Head Start Program Performance Standards (DHHS, 1996), affecting services as Part C and Early Head Start providers sought interpretation of the regulations. See www.nectac.org/pdfs/pubs/nnotes11.pdf.
- ²See //www.ideapractices.org/law/regulations/indexPartC.php
- ³ SpecialQuest, also known as the Hilton/EHS Training Program, is a new initiative sponsored by the Conrad Hilton Foundation in partnership with the Head Start Bureau to help communities refine coordination between Early Head Start and Part C. SpecialQuest trains community teams to develop systems that are sensitive to the community context to identify, refer, and serve children with special needs.
- ⁴ The findings are consistent with a recent report from the NEILS study, which speaks to the problems of Early Intervention outreach to underserved populations: http://sn.com/neils/FE_ReportExecSummary.pdf
- Demographic risk factors that were added to create a cumulative risk index were whether the mother was a teen at the time of the child's birth, lacked a high school education, was unmarried, was receiving cash assistance, and was not in school or working.
- ⁶ This level of delay is consistent with Part C eligibility criteria outlined by every state: http://www.nectac.org/pubs/pdfs/nnotes11.pdf for developmental delays.
- While families in the Early Head Start program were highly likely to have a regular health care provider (94%-98% at different measurement periods), there

- was considerable variation in the kinds of contacts children may have had with physicians. For example, Hispanic children were less likely than other children to receive regular health care in a private doctor's office (24% vs. 41% and 48% of African American and White children, respectively). Hispanic children were also less likely to receive screening tests (including hearing tests and lead screenings) than other children (59% vs. 77% and 63% of African American and White children, respectively) (ACF 2003a).
- The measure of receptive language is not universally used to assess children's language development for Part C programs, and, if it is, a score -1.5 SD might not qualify a child for Part C in all states. Therefore, it cannot be assumed that all children with delays at this level would qualify for Part C. In making comparisons between the measure of receptive language and parent report of communication difficulties, it is also possible that different areas of language development are being considered.
- ⁹ As all children enrolled in the research began program services before age 1, it is not likely that recognized needs for speech and language intervention motivated parents with fewer risks to enroll in the program. However, it is possible that parents with fewer demographic risks enrolled in the program if their children had multiple disabilities that could have affected language capacity.
- ¹⁰ It may be possible to affect some early cognitive and language delays. Current theory and research in early brain development would suggest that nutrition, appropriate stimulation, stress reduction, relationship support, and health screenings are helpful agents.
- Pediatrics organizations are aware of concerns. See //www.aap.org/re0062.html and //www.dbpeds.org/articles/detail.cfm?id=5

References

Achenbach, T. M., Edelbrock, C.S. & Howell, C.T. (1987). Empirically-based assessment of the behavioral/emotional problems of 2-3-year old children. *Journal of Abnormal Psychology*, 15-4, pp. 629-650.

Administration for Children and Families (2002a). *Head Start Program Information Report, 2000-2001*. Washington, DC: U.S. Department of Health and Human Services.

Administration for Children and Families (2002b). *Making a difference in the lives of infants and toddlers and their families: The impacts of Early Head Start.* Washington, DC: U.S. Department of Health and Human Services. http://www.acf.hhs.gov/programs/core/ongoing_research/ehs/ehs_intro.html

Administration for Children and Families (2003a). *Head Start Program Information Report, 2001-2002*. Washington, DC: U.S. Department of Health and Human Services.

Administration for Children and Families (2003b). *Pathways to quality and full implementation of Early Head Start.* Washington, DC: U.S. Department of Health and Human Services.

Administration for Children and Families (2004). *Are families healthy and getting needed services? Health and disabilities services in Early Head Start.* Washington, DC: U.S. Department of Health and Human Services.

Administration for Children and Families (in press). *Head Start Program Information Report*, 2002-2003. Washington, DC: U.S. Department of Health and Human Services

Bayley, N. (1993). *Bayley Scales of Infant Development*. Second Edition: Manual. New York: The Psychological Corporation, Harcourt Brace and Company.

Dunn, L. M. & Dunn, L. M. (1997). Peabody Picture Vocabulary Test-Third Edition. Circle Pines, MN: American Guidance Service.

Sonoma State University (2002). Hilton/Early Head Start training program 2002, final evaluation report. Rohnert Park, CA: Sonoma State University.

Summers, J.A., Steeples, T., Peterson, C., Naig, L., McBride, S., Wall, S., Liebow, H., Swanson, M., & Stowitschek, J. (2001). Policy and management supports for effective service integration in Early Head Start and Part C programs. *Topics in Early Childhood Special Education*, 21(1). 16-30.

U.S. Department of Health and Human Services (1998). Head Start Program Performance Standards and Other Regulations. Part 1305.6. Washington, DC:

Administration for Children and Families • U.S. Department of Health and Human Services

December 2003

Early Head Start evaluation reports are available online at: http://www.acf.hhs.gov/programs/core/ongoing_research/ehs/ehs_intro.html